

Project CY 8609

Describe the technical facility located via:

SG1A



Within the following ten year period determine  
if and when any "special events" occur:

1978

1988

Note: If you do find any "special events" - - - subsequent  
sessions will be focused on each separate  
"special event."

SG1J

20 Feb-87  
F. Meade, m.d.  
1030

SVI

2

52

D A 1

E I

T I

sec

45

flat  
wandpoint of  
impact

metallic

S 4 1/2 specially prepared

wired

measured  
comparedS 4 1/2 when struck, it causes physical effect,  
releases energy, particles & information.S 4 1/2 - idea that "projectile" is caused to  
"track" until desired speed/momentum/altitude is  
achieved, then "swish" setting is altered to permit "projectile"  
to be propelled/impaled into impact point.S 4 1/2 sense that any possible inhibitors or chance  
object are removed, perhaps even to the point of  
creating a vacuum along the track of the  
"projectile" to avoid air friction or interference.

S V I

3

S2

D

A2

FI

T

I

LAVL

HLS

Clamps

stress

degrade

Surfaces

54½ in chamber what happens may occur very rapidly  
but for short duration, like a "burst" or "flash" No  
rhythmic pulse or repeat in chamber

54½ "Clamps" are high grade & high strength  
materials because subject to high degree of "stress"  
- not mechanical or physical stress but <sup>uniform</sup> degradation/  
deterioration over time.

molecular  
degradation

object  
emissions?

tubers

spot

modified materials

Storage

machines

equipment

devices

apparatus

power

Thermo plane

Attributes

emissions?

intangible

heated

excited

agitated

constant

dangerous

expected

calculated

phenomenological

Thermo plane

Subjects

emissions?

threshold

barrier

control

program

level

excitement

energy

release

accumulation

utilization

adjustment

Thermo plane  
Topics  
emissions?

factory  
proto factory  
adjacent

Approved For Release 2000/08/08 : CIA-RDP96-00789R000100550012-8 *logarithmic* 5

S2

D

A2

E2

T

I

A2

A2

A2

mass  
composition

alloy

S4/2 "98%" pure one element, but alloyed with  
small amount of other material to improve  
managable + performant.

element

heavy  
densedark  
colored

AS B+  
taste  
nasty  
fast  
unpleasant

grainy

Like  
carbon  
but not  
so black

to range

S4/2 May material tinted a silvery color

AS2 B2C  
mercury

SUI

2

502

D

+1

FI

T

J

ML

A6

refined

54½ all possible impurities removed to increase predictability of desired effects + resulted.

dust &  
water

dust

open  
p.p.  
m.s."dry up"  
process

locutor

54½ loose dirt + rocks. light color - beige, ochre, with orange patches throughout. Aussies, bauers area. Relatively flat, though rolling. ~~rock~~ Sparse population, low grassy vegetation with, often cold.

Material beat processed, refined, - impurity extractor - mechanically, then more refined extraction. Take ~~stuff~~ material out of impurities instead & vice versa. As material becomes more pure, its true dk gray color becomes more apparent.

1113